MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/economy

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

# NOTICE OF ACCEPTANCE (NOA)

**Amarr Garage Doors**
**125 Carriage Court**
**Winston-Salem, NC 27105**

## SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER-Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).
This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.
This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

**DESCRIPTION: Model 950 Heritage & 655 Oak Summit 1000, 2000 Steel Sectional Garage Door up to 16'-0" Wide (DP +45.8, -49.3 PSF)**
**APPROVAL DOCUMENT:** Drawing No. **IRC-9516-169-26**, titled "Model 950 Heritage & Model 655 Oak Summit, (24 GA) 1000, 2000, Short, Long, Flush and Oak Summit Panels", sheets 1through 3 of 3, dated 03/14/2003, with revision C dated 02/04/2013, prepared by Amarr Garage Doors, signed and sealed by Tomas L. Shelmerdine, P.E., bearing the Miami-Dade County Product Control revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.
**MISSILE IMPACT RATING: Large and Small Missile Impact Resistant**
**LABELING:** A permanent label with the manufacturer's name or logo, 3800 Greenway Circle, Lawrence, Kansas, model number, the positive and negative design pressure rating, indicate impact rated if applicable, installation instruction drawing reference number, approval number (NOA), the applicable test standards, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on the door's side track, bottom angle, or inner surface of a panel.
**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.
**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.
**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.
**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.
This NOA **revises NOA # 13-0503.08** and consists of this page 1 and evidence page E-1, as well as approval document mentioned above.
The submitted documentation was reviewed by **Carlos M. Utrera, P.E.**

MIAMI-DADE COUNTY APPROVED

07/10/2015

**NOA No 15-0505.13**
**Expiration Date: September 4, 2018**
**Approval Date: July 16, 2015**

## NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

### A. DRAWINGS *"Submitted under NOA # 13-0503.08"*

1. Drawing No. **IRC-9516-169-26**, titled "Model 950 Heritage & Model 655 Oak Summit, (24 GA) 1000, 2000, Short, Long, Flush and Oak Summit Panels", sheets 1through 3 of 3, dated 03/14/2003, with revision C dated 02/04/2013, prepared by Amarr Garage Doors, signed and sealed by Thomas L. Shelmerdine, P.E.

### B. TESTS *"Submitted under NOA # 13-0503.08"*

1. Test report on Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments per ASTM D1654 & ASTM B117, prepared by Architectural Testing, Inc., Test Report No. **C5463.01-106-18**, dated 04/03/2013, signed and sealed by Gary T. Hartman, P.E.
2. Test reports on 1) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
   2) Large Missile Impact Test per FBC, TAS 201-94
   3) Cyclic Wind Pressure Loading per FBC, TAS 203-94
   4) Tensile Test per ASTM E8
   5) Forced Entry Resistance Test per FBC, TAS 202-94

   along with marked-up drawings and installation diagram of 9'x 7' 24 ga steel garage door Model 950, prepared by American Test Lab, Inc., Test Report No. **ATLNC 0205.01-13R**, dated 04/02/2013 and 06/13/2013, signed and sealed by David W. Johnson, P.E.
3. Test reports on 1) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
   2) Large Missile Impact Test per FBC, TAS 201-94
   3) Cyclic Wind Pressure Loading per FBC, TAS 203-94

   along with marked-up drawings and installation diagram of 9'x 7' 24 ga Model 950D Heritage with Durasafe, 24 ga Sectional Steel Garage Door, prepared by American Test Lab, Inc., Test Report No. **ATL 0311.01-03R**, dated 06/22/2006, signed and sealed by David W. Johnson, P.E. ***"Submitted under NOA # 08-0718.03"***

### C. CALCULATIONS *"Submitted under NOA # 13-0503.08"*

1. Anchor calculations prepared by Structural Solutions, P.A., dated 04/11/2013, signed and sealed by Thomas L. Shelmerdine, P.E.
2. Anchor calculations prepared by Structural Solutions, P.A., dated 02/09/2012, signed and sealed by Thomas L. Shelmerdine, P.E. ***"Submitted under NOA # 08-0718.03"***

### D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

### E. MATERIAL CERTIFICATIONS

1. None.

### F. STATEMENTS

1. Statement letter of code conformance to the 5th edition (2014) FBC and no financial interest issued by Structural Solutions, PA., dated 04/08/2015, signed and sealed by Tomas L. Shelmerdine, P.E.

07/10/2015

**Carlos M. Utrera, P.E.**
**Product Control Examiner**
**NOA No 15-0505.13**
**Expiration Date: September 4, 2018**
**Approval Date: July 16, 2015**




TYPICAL TOP FIXTURES 1
N.T.S.




TYPICAL DURASAFE CENTER HINGE 2
N.T.S.




INSIDE ELEVATION
N.T.S.




TYPICAL STILE STIFFENER 5
N.T.S.




SECTION A-A (SIDE VIEW)
N.T.S.




TRACK CONFIGURATION FOR 6'6" UP TO 14' TALL DOORS




TYPICAL DURASAFE END HINGE 3




OPTIONAL VENT DETAIL 6

PRODUCT REVISED
as complying with the Florida Building Code
Acceptance No 15-0505.13
Expiration Date 09/04/2018
By
Miami Dade Product Control

PRODUCT REVISED
as complying with the Florida Building Code
Acceptance No 13-0503.08
Expiration Date 09/04/2018
By
Miami Dade Product Control




TRACK MOUNTING DETAIL
N.T.S.




TYPICAL BOTTOM BRACKET 4
N.T.S.

# LARGE MISSLE IMPACT RESISTANT

| REV | DESCRIPTION OF REVISIONS | DATE | BY |
|---|---|---|---|
| A | AFFIRMATION TO 2007 FBC, MODEL 655 & PG3 ADDED | 06/11/08 | SKW |
| B | UPDATED TO FBC 2010 | 10/18/11 | DRC |
| C | ADDED STRUT TO BOTTOM SECTION | 02/04/13 | RJR |

MAX SIZE 16' x 14'
DESIGN LOADS +45.8 PSF −49.3 PSF
LARGE MISSLE IMPACT RESISTANCE

Thomas L. Shelmerdine, PE (FL PE #0048579)
Structural Solutions, PA (FL Firm #29412)

THOMAS L. SHELMERDINE LICENSE No 0048579 STATE OF FLORIDA PROFESSIONAL ENGINEER
FL

dba Structural Solutions of North Carolina, Inc.
5921-G W. Friendly Ave., Greensboro, NC 27410

Amarr
165 CARRIAGE COURT WINSTON-SALEM, N.C. 27105 WWW.AMARR.COM

MODEL 650 HERITAGE (24 GA) 1000, 2000
MODEL 655 OAK SUMMIT (24 GA) 1000, 2000
SHORT, LONG, FLUSH, AND OAK SUMMIT PANELS

| SIZE | DRAWN BY | DJJ | DATE 03/12/03 | DRAWING NUMBER |
|---|---|---|---|---|
| B | CHECKED BY | AAE | DATE 03/14/03 | IRC-9516-169-26 |
| | | | | SHEET 1 OF 3 |

## SPECIFICATIONS AND NOTES

1. ALL THE LOAD FROM THE DOOR IS TRANSFERRED TO THE VERTICAL TRACK, FROM THE TRACK THE LOAD IS TRANSFERRED TO THE VERTICAL JAMBS. THE HORIZONTAL JAMB OR HEADER RECEIVES NO PORTION OF THE LOAD TRANSFERRED FROM THE DOOR.
2. EACH VERTICAL JAMBS RECEIVES MAXIMUM DESIGN LOADS OF: +366.4 LBS/FT & −394.4 LBS/FT
3. DOOR AND HARDWARE WILL BE DESIGNED, MANUFACTURED AND INSTALLED WITH STANDARDS AS SET FORTH BY DASMA.
4. DOOR SECTIONS SHALL BE 24 GA. (.0216) MIN. EXTERIOR SKIN ROLLED FORMED, W/ BAKED ON POLYESTER FINISH
5. DOORS UPTO 7'0" HIGH CONSIST OF (4) SECTIONS AS SHOWN. USE (1) 5 1/2" R−TRUSS PER SECTION & (2) 3" 20GA STRUTS AT BOTTOM SECTION
6. DOORS OVER (4) SECTIONS REFER TO TABLES 1 AND 2 ON PAGE 3
7. SUPPORTING STRUCTURAL ELEMENTS SHALL BE DESIGNED BY A REGISTRED PROFESSIONAL ENGINEER FOR WIND LOADS INDICATED ON THIS DRAWING IN ADDITION TO OTHER LOADINGS.
8. THIS APPROVAL REQUIRES THE MANUFACTURER TO DO TESTING OF ALL COILS USED TO FABRICATE DOOR PANELS UNDER THIS NOTICE OF ACCEPTANCE. A MINIMUM OF 2 SPECIMENS SHALL BE CUT FROM EACH COIL AND TENSILE TESTED ACCORDING TO ASTM E−8 BY A DADE COUNTY APPROVED LAB SELECTED AND PAID BY THE MANUFACTURER. EVERY 3 MONTHS, 4 TIMES A YEAR, THE MANUFACTURER SHALL MAIL TO THIS OFFICE: A COPY OF THE TEST REPORTS WITH CONFIRMATION THAT THE SPECIMENS WERE SELECTED FROM COILS AT THE MANUFACTURER PRODUCTION FACILITIES. AND A NOTARIZED STATEMENT FROM THE MANUFACTURER THAT ONLY COILS WITH YIELD STRENGTH OF 34,600 PSI OR MORE SHALL BE USED TO MAKE DOOR PANELS FOR DADE COUNTY UNDER THIS NOTICE OF ACCEPTANCE.




AVAILABLE TRACK CONFIGURATIONS
N.T.S.




PRODUCT REVISED as complying with the Florida Building Code Acceptance No 15-0505.13 Expiration Date 09/04/2018 By Miami Dade Product Control

PRODUCT REVISED as complying with the Florida Building Code Acceptance No 13-0503.08 Expiration Date 09/04/2018 By Miami Dade Product Control

## WOOD JAMB ATTACHMENT TO STRUCTURE

2 X 6 VERTICAL JAMB ATTACHMENT TO WOOD FRAME STRUCTURE
5/16" X 3" LAG SCREWS STARTING 6" FROM ENDS THEN 12" O.C. (1 1/2" EMBEDMENT)

2 X 6 VERTICAL JAMB ATTACHMENT TO 2,000 PSI CONCRETE
HILTI KWIK BOLT 3/8" X 4" STARTING 6" FROM ENDS THEN 24" O.C. (2 1/2" EMBEDMENT)
HILTI SLEEVE ANCHOR 3/8" X 2-3/4" STARTING 6" FROM ENDS THEN 12" O.C. (1 1/4" EMBEDMENT)
ITW/RAMSET REDHEAD (TRU−BOLT) 3/8" X 4" STARTING 6" FROM ENDS THEN 22" O.C. (2 1/2" EMBEDMENT)

2 X 6 VERTICAL JAMB ATTACHMENT TO HOLLOW C−90 BLOCK
SIMPSON 1/4" X 3" TITEN SCREWS STARTING 6" FROM ENDS, USE PAIRS OF FASTENERS (3" APART) AT 8" O.C. (1 1/2" EMBEDMENT)
HILTI 1/4" X 2-3/4" KWIK−CON II+ SCREWS STARTING 6" FROM ENDS, USE PAIRS OF FASTENERS (3" APART) AT 8" O.C. (1 1/4" EMBEDMENT)

2 X 6 VERTICAL JAMB ATTACHMENT TO GROUTED C−90 BLOCK (2000 PSI GROUT)
HILTI SLEEVE ANCHOR 3/8" X 2-3/4" STARTING 6" FROM ENDS THEN 14" O.C. (1 1/4" EMBEDMENT) (OR, USE FASTENERS FOR HOLLOW C−90 BLOCK)

*LAGS AND BOLTS CAN BE COUNTERSUNK TO PROVIDE A FLUSH MOUNTING SURFACE.
*PREPARATION OF WOOD JAMBS BY OTHERS




| REV | DESCRIPTION OF REVISIONS | DATE | BY |
|---|---|---|---|
| A | AFFIRMATION TO 2007 FBC, MODEL 655 & PG3 ADDED | 06/11/08 | SKW |
| B | UPDATED TO FBC 2010 | 10/18/11 | DRC |
| C | ADDED STRUT TO BOTTOM SECTION | 02/04/13 | PLR |

MAX SIZE 16' x 14'
DESIGN LOADS +45.8 PSF −49.3 PSF
LARGE MISSLE IMPACT RESISTANCE

Thomas L. Shelmerdine, PE (FL PE #0048579) Structural Solutions, PA (FL Firm #29412)

THOMAS L. SHELMERDINE LICENSE No 0048579 STATE OF FLORIDA PROFESSIONAL ENGINEER FL

dba Structural Solutions of North Carolina, Inc. 5921-G W. Friendly Ave., Greensboro, NC 27410

Amarr

165 CARRIAGE COURT WINSTON-SALEM, N.C. 27105 WWW.AMARR.COM

MODEL 650 HERITAGE (24 GA) 1000, 2000
MODEL 655 OAK SUMMIT (24 GA) 1000, 2000
SHORT, LONG, FLUSH, AND OAK SUMMIT PANELS

| SIZE | DRAWN BY | DATE | DRAWING NUMBER |
|---|---|---|---|
| B | DLJ 03/12/03 | | IRC-9516-169-26 |
| | CHECKED BY AAE | DATE 03/14/03 | |
| | | | SHEET 2 OF 3 |

TABLE 1

| DOOR HEIGHT | STRUT SPACING (BASED ON RECOMMENDED SECTION CONFIGURATION) | | | | | | | | | TOP |
|---|---|---|---|---|---|---|---|---|---|---|
| | A | B | C | D | E | F | G | H | I | T |
| 6' 6" | 4 1/2" | 7" | 17 1/2" | 35 1/2" | 53 1/2" | | | | | 70 1/2" |
| 7' | 4 1/2" | 7" | 17 1/2" | 38 1/2" | 59 1/2" | | | | | 76 1/2" |
| 7' 6" | 4 1/2" | 7" | 14 1/2" | 32 1/2" | 50 1/2" | 68 1/2" | | | | 82 1/2" |
| 8' | 4 1/2" | 7" | 17 1/2" | 35 1/2" | 53 1/2" | 71 1/2" | | | | 88 1/2" |
| 8' 6" | 4 1/2" | 7" | 17 1/2" | 38 1/2" | 59 1/2" | 77 1/2" | | | | 94 1/2" |
| 9' | 4 1/2" | 7" | 14 1/2" | 32 1/2" | 50 1/2" | 68 1/2" | 86 1/2" | | | 100 1/2" |
| 9' 6" | 4 1/2" | 7" | 17 1/2" | 35 1/2" | 53 1/2" | 71 1/2" | 89 1/2" | | | 106 1/2" |
| 10' | 4 1/2" | 7" | 17 1/2" | 38 1/2" | 59 1/2" | 77 1/2" | 95 1/2" | | | 112 1/2" |
| 10' 6" | 4 1/2" | 7" | 17 1/2" | 38 1/2" | 59 1/2" | 80 1/2" | 101 1/2" | | | 118 1/2" |
| 11' | 4 1/2" | 7" | 17 1/2" | 35 1/2" | 53 1/2" | 71 1/2" | 89 1/2" | 107 1/2" | | 124 1/2" |
| 11' 6" | 4 1/2" | 7" | 17 1/2" | 38 1/2" | 59 1/2" | 77 1/2" | 95 1/2" | 113 1/2" | | 130 1/2" |
| 12' | 4 1/2" | 7" | 17 1/2" | 38 1/2" | 59 1/2" | 80 1/2" | 101 1/2" | 119 1/2" | | 136 1/2" |
| 12'6" | 4 1/2" | 7" | 17 1/2" | 35 1/2" | 53 1/2" | 71 1/2" | 89 1/2" | 107 1/2" | 125 1/2" | 142 1/2" |
| 13' | 4 1/2" | 7" | 17 1/2" | 38 1/2" | 59 1/2" | 77 1/2" | 95 1/2" | 113 1/2" | 131 1/2" | 148 1/2" |
| 13' 6" | 4 1/2" | 7" | 17 1/2" | 38 1/2" | 59 1/2" | 80 1/2" | 101 1/2" | 119 1/2" | 137 1/2" | 154 1/2" |
| 14' | 4 1/2" | 7" | 17 1/2" | 38 1/2" | 59 1/2" | 80 1/2" | 101 1/2" | 122 1/2" | 143 1/2" | 160 1/2" |

TABLE 3

| DOOR HEIGHT | TRACK ATTACHMENT | | | | | | | | | | | | | | SPLICE |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | S |
| 6' 6" | 3" | 14" | 27" | 38" | 46" | 56" | 64" | | | | | | | | 70" |
| 7' | 3" | 14" | 27" | 38" | 46" | 56" | 68" | | | | | | | | 76" |
| 7' 6" | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | | | | | | | 82" |
| 8' | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | | | | | | | 88" |
| 8' 6" | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | | | | | | 94" |
| 9' | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | | | | | | 100" |
| 9' 6" | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | 98" | | | | | 106" |
| 10' | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | 100" | | | | | 112" |
| 10' 6" | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | 100" | 110" | | | | 118" |
| 11' | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | 100" | 110" | | | | 124" |
| 11' 6" | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | 100" | 110" | 120" | | | 130" |
| 12' | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | 100" | 110" | 122" | | | 136" |
| 12'6" | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | 100" | 109" | 122" | 132" | | 142" |
| 13' | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | 100" | 114" | 122" | 134" | | 148" |
| 13' 6" | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | 100" | 109" | 122" | 134" | 144" | 154" |
| 14' | 3" | 14" | 27" | 38" | 46" | 56" | 68" | 78" | 88" | 100" | 114" | 122" | 134" | 146" | 160" |

ALL TRACK ATTACHMENT SPACING +/– 2" ALLOWED WITH SYP NO.2 OR BETTER ONLY

TABLE 4

| Section Width (ft) | Panel Type | Center Stile Locations (Measured from Left Edge) 1st (in) | 2st (in) | 3rd (in) | 4th (in) | 5th (in) | 6th (in) | 7th (in) |
|---|---|---|---|---|---|---|---|---|
| 10'0 | Short | 25.218 | 48.406 | 71.594 | 94.782 | | | |
| 10'0 | Long | 30.000 | 60.000 | 90.000 | | | | |
| 10'0 | Bead | 30.625 | 60.000 | 89.376 | | | | |
| 12'0 | Short | 25.624 | 48.812 | 72.000 | 95.188 | 118.376 | | |
| 12'0 | Long | 27.250 | 49.625 | 72.000 | 94.376 | 116.750 | | |
| 12'0 | Bead | 24.625 | 48.313 | 72.000 | 95.688 | 119.375 | | |
| 12'2 | Short | 26.272 | 49.636 | 73.000 | 96.364 | 119.728 | | |
| 12'2 | Long | 27.168 | 50.084 | 73.000 | 95.916 | 118.832 | | |
| 12'2 | Bead | 25.125 | 49.063 | 73.000 | 96.938 | 120.875 | | |
| 12'4 | Short | 27.272 | 50.636 | 74.000 | 97.364 | 120.728 | | |
| 12'4 | Long | 26.168 | 51.084 | 74.000 | 96.916 | 119.832 | | |
| 12'4 | Bead | 25.625 | 49.813 | 74.000 | 98.188 | 122.375 | | |
| 12'6 | Short | 26.340 | 50.670 | 75.000 | 99.330 | 123.660 | | |
| 12'6 | Long | 27.340 | 51.170 | 75.000 | 98.830 | 122.660 | | |
| 12'6 | Bead | 28.125 | 50.563 | 75.000 | 99.438 | 123.875 | | |
| 12'8 | Short | 27.340 | 51.670 | 76.000 | 100.330 | 124.660 | | |
| 12'8 | Long | 28.200 | 52.100 | 76.000 | 99.900 | 123.800 | | |
| 12'8 | Bead | 26.625 | 51.313 | 76.000 | 100.688 | 126.375 | | |
| 12'10 | Short | 27.500 | 52.250 | 77.000 | 101.750 | 126.500 | | |
| 12'10 | Long | 29.200 | 53.100 | 77.000 | 100.900 | 124.800 | | |
| 12'10 | Bead | 27.125 | 52.063 | 77.000 | 101.938 | 126.875 | | |
| 13'0 | Short | 28.000 | 53.000 | 78.000 | 103.000 | 128.000 | | |
| 13'0 | Long | 30.200 | 54.100 | 78.000 | 101.900 | 125.800 | | |
| 13'0 | Bead | 27.625 | 52.813 | 78.000 | 103.188 | 128.375 | | |
| 13'2 | Short | 29.000 | 54.000 | 79.000 | 104.000 | 129.000 | | |
| 13'2 | Long | 31.200 | 55.100 | 79.000 | 102.900 | 126.800 | | |
| 13'2 | Bead | 28.125 | 53.563 | 79.000 | 104.438 | 129.875 | | |
| 13'4 | Short | 28.800 | 54.400 | 80.000 | 105.600 | 131.200 | | |
| 13'4 | Long | 29.800 | 54.900 | 80.000 | 105.100 | 130.200 | | |
| 13'4 | Bead | 28.625 | 54.313 | 80.000 | 105.688 | 131.375 | | |
| 13'6 | Short | 29.800 | 55.400 | 81.000 | 106.600 | 132.200 | | |
| 13'6 | Long | 30.800 | 55.900 | 81.000 | 106.100 | 131.200 | | |
| 13'6 | Bead | 29.125 | 55.063 | 81.000 | 106.938 | 132.875 | | |
| 13'8 | Short | 30.800 | 56.400 | 82.000 | 107.600 | 133.200 | | |
| 13'8 | Long | 31.250 | 56.625 | 82.000 | 107.375 | 132.750 | | |
| 13'8 | Bead | 29.625 | 55.813 | 82.000 | 108.188 | 134.376 | | |
| 13'10 | Short | 31.388 | 57.163 | 82.938 | 108.713 | 134.488 | | |
| 13'10 | Long | 31.340 | 57.170 | 83.000 | 108.830 | 134.660 | | |
| 13'10 | Bead | 30.125 | 56.563 | 83.000 | 109.438 | 135.875 | | |
| 14'0 | Short | 31.588 | 57.763 | 83.938 | 110.113 | 136.288 | | |
| 14'0 | Long | 33.250 | 58.625 | 84.000 | 109.376 | 134.750 | | |
| 14'0 | Bead | 30.625 | 57.313 | 84.000 | 110.688 | 137.376 | | |
| 14'2 | Short | 32.764 | 58.846 | 84.938 | 111.413 | 137.888 | | |
| 14'2 | Long | 33.340 | 59.170 | 85.000 | 110.830 | 136.660 | | |
| 14'2 | Bead | 31.125 | 58.063 | 85.000 | 111.938 | 138.876 | | |
| 14'4 | Short | 32.388 | 59.163 | 85.938 | 112.713 | 139.488 | | |
| 14'4 | Long | 34.340 | 60.170 | 86.000 | 111.830 | 137.660 | | |
| 14'4 | Bead | 31.625 | 58.813 | 86.000 | 113.188 | 140.376 | | |
| 14'6 | Short | 32.788 | 59.863 | 86.938 | 114.013 | 141.088 | | |
| 14'6 | Long | 35.340 | 61.170 | 87.000 | 112.8300 | 138.660 | | |
| 14'6 | Bead | 32.125 | 59.563 | 87.000 | 114.438 | 141.876 | | |
| 14'8 | Short | 33.188 | 60.663 | 87.938 | 115.313 | 142.688 | | |
| 14'8 | Long | 23.218 | 44.812 | 66.406 | 88.000 | 109.594 | 131.188 | 152.782 |
| 14'8 | Bead | 32.625 | 60.313 | 88.000 | 115.688 | 143.375 | | |
| 14'10 | Short | 33.588 | 61.263 | 88.938 | 116.613 | 144.288 | | |
| 14'10 | Long | 23.900 | 45.600 | 67.300 | 89.000 | 110.700 | 132.400 | 154.100 |
| 14'10 | Bead | 33.125 | 61.063 | 89.000 | 116.938 | 144.875 | | |
| 15'0 | Short | 33.938 | 61.938 | 89.938 | 117.938 | 145.938 | | |
| 15'0 | Long | 24.900 | 46.600 | 68.300 | 90.000 | 111.700 | 133.400 | 155.100 |
| 15'0 | Bead | 33.625 | 61.813 | 90.000 | 118.188 | 146.376 | | |
| 15'2 | Short | 34.388 | 62.663 | 90.938 | 119.213 | 147.488 | | |
| 15'2 | Long | 25.900 | 47.600 | 69.300 | 91.000 | 112.700 | 134.400 | 156.100 |
| 15'2 | Bead | 34.125 | 62.663 | 91.000 | 119.438 | 147.875 | | |
| 15'4 | Short | 28.000 | 53.600 | 79.200 | 104.800 | 130.400 | 156.000 | |
| 15'4 | Long | 24.875 | 47.250 | 69.625 | 92.000 | 114.375 | 136.750 | 159.125 |
| 15'4 | Bead | 34.625 | 63.313 | 92.000 | 120.688 | 149.375 | | |
| 15'6 | Short | 23.436 | 46.624 | 69.812 | 93.000 | 116.188 | 139.376 | 162.564 |
| 15'6 | Long | 24.900 | 47.600 | 70.300 | 93.000 | 116.700 | 138.400 | 161.100 |
| 15'6 | Bead | 24.626 | 47.417 | 70.209 | 93.000 | 115.792 | 138.583 | 161.375 |
| 15'8 | Short | 24.436 | 47.624 | 70.812 | 94.000 | 117.188 | 140.376 | 163.564 |
| 15'8 | Long | 25.900 | 48.600 | 71.300 | 94.000 | 116.700 | 139.400 | 162.100 |
| 15'8 | Bead | 25.026 | 48.017 | 71.009 | 94.000 | 116.992 | 139.983 | 162.975 |
| 15'10 | Short | 26.436 | 48.624 | 71.812 | 95.000 | 118.188 | 141.376 | 164.564 |
| 15'10 | Long | 26.251 | 49.167 | 72.084 | 95.000 | 117.917 | 140.833 | 163.760 |
| 15'10 | Bead | 23.426 | 46.617 | 71.809 | 95.000 | 118.192 | 141.383 | 164.575 |
| 16'0 | Short | 26.436 | 49.624 | 72.812 | 96.000 | 119.188 | 142.376 | 165.564 |
| 16'0 | Long | 27.900 | 50.600 | 73.300 | 96.000 | 118.700 | 141.400 | 164.100 |
| 16'0 | Bead | 24.626 | 48.417 | 72.209 | 96.000 | 119.792 | 143.583 | 167.375 |

TABLE 2

| DOOR HEIGHT | SECTION HEIGHTS Btm | #2 | #3 | #4 | #5 | #6 | #7 | #8 |
|---|---|---|---|---|---|---|---|---|
| 14' 0" | 21" | 21" | 21" | 21" | 21" | 21" | 21" | 21" |
| 13' 6" | 21" | 21" | 21" | 21" | 21" | 18" | 18" | 21" |
| 13' 0" | 21" | 21" | 21" | 18" | 18" | 18" | 18" | 21" |
| 12' 6" | 21" | 18" | 18" | 18" | 18" | 18" | 18" | 21" |
| 12' 0" | 21" | 21" | 21" | 21" | 21" | 18" | 21" | |
| 11' 6" | 21" | 21" | 21" | 18" | 18" | 18" | 21" | |
| 11' 0" | 21" | 18" | 18" | 18" | 18" | 18" | 21" | |
| 10' 6" | 21" | 21" | 21" | 21" | 21" | 21" | | |
| 10' 0" | 21" | 21" | 21" | 18" | 18" | 21" | | |
| 9'6" | 21" | 18" | 18" | 18" | 18" | 21" | | |
| 9' 0" | 18" | 18" | 18" | 18" | 18" | 18" | | |
| 8' 6" | 21" | 21" | 21" | 18" | 21" | | | |
| 8' 0" | 21" | 18" | 18" | 18" | 21" | | | |
| 7' 6" | 18" | 18" | 18" | 18" | 18" | | | |
| 7' 0" | 21" | 21" | 21" | 21" | | | | |
| 6' 6" | 21" | 18" | 18" | 21" | | | | |

PRODUCT REVISED
as complying with the Florida Building Code
Acceptance No 15-0505.13
Expiration Date 07/04/2018
By
Miami Dade Product Control

PRODUCT REVISED
as complying with the Florida Building Code
Acceptance No 13-0503.08
Expiration Date 07/04/2018
By
Miami Dade Product Control

| REV | DESCRIPTION OF REVISIONS | DATE | BY |
|---|---|---|---|
| A | APPROVED TO 2007 FBC, MODEL 655 & PG3 ADDED | 06/11/08 | SKW |
| B | UPDATED TO FBC 2010 | 10/18/11 | DRC |
| C | ADDED STRUT TO BOTTOM SECTION | 02/04/13 | RLR |

MAX SIZE
16' x 14'
DESIGN LOADS
+45.8 PSF
-49.3 PSF

LARGE MISSLE IMPACT RESISTANCE

Thomas L Shelmerdine, PE (FL PE #0048579)
Structural Solutions, PA (FL Firm #29412)

THOMAS L. SHELMERDINE LICENSE No. 0048579 STATE OF FLORIDA PROFESSIONAL ENGINEER
FL

dba Structural Solutions of North Carolina, Inc.
5921-G W. Friendly Ave., Greensboro, NC 27410

Amarr

165 CARRIAGE COURT WINSTON-SALEM, NC. 27105 WWW.AMARR.COM

MODEL 950 HERITAGE (24 GA) 1000, 2000
MODEL 655 OAK SUMMIT (24 GA) 1000, 2000
SHORT, LONG, FLUSH, AND OAK SUMMIT PANELS

| SIZE | DRAWN BY | DJ | DATE | 03/12/03 | DRAWING NUMBER |
|---|---|---|---|---|---|
| B | CHECKED BY | AAE | DATE | 03/14/03 | IRC-9516-169-26 |
| | | | | | SHEET 3 OF 3 |